
SEAC4RS-RSP-ICECLD_ER2_201308211528
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
15.50
15.55
15.60
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_20130821154 1
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
15.8
16.0
16.2
16.4
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211635
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.6
16.7
16.8
16.9
17.0
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211706
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.11
17.12
17.13
17.14
17.15
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211713
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.25
17.30
17.35
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211729
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.50
17.55
17.60
17.65
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211744
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.75
17.80
17.85
17.90
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211800
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.05
18.10
18.15
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211816
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.28
18.30
18.32
18.34
18.36
18.38
18.40
18.42
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211831
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.54
18.56
18.58
18.60
18.62
18.64
18.66
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211845
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.76
18.77
18.78
18.79
18.80
18.81
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211900
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.1
19.2
19.3
19.4
19.5
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308211941
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.70
19.75
19.80
19.85
19.90
19.95
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308212002
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308212035
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308212103
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.10
21.15
21.20
21.25
21.30
21.35
time [decimal UTC]