
SEAC4RS-RSP-ICECLD_ER2_201308301702
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.10
17.15
17.20
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308301718
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.4
17.6
17.8
18.0
18.2
18.4
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308301831
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.6
18.7
18.8
18.9
19.0
19.1
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308301910
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.178
19.180
19.182
19.184
19.186
19.188
19.190
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308301918
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.30
19.32
19.34
19.36
19.38
19.40
19.42
19.44
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308301939
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.70
19.75
19.80
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308301959
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.00
20.02
20.04
20.06
20.08
20.10
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_20130830 2017
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.30
20.31
20.32
20.33
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302024
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.45
20.50
20.55
20.60
20.65
20.70
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302050
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.84
20.86
20.88
20.90
20.92
20.94
20.96
20.98
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302103
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.060
21.065
21.070
21.075
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302110
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.18
21.20
21.22
21.24
21.26
21.28
21.30
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302124
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302209
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
22.16
22.18
22.20
22.22
22.24
22.26
22.28
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302224
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
22.42
22.44
22.46
22.48
22.50
22.52
22.54
22.56
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201308302237
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
22.62
22.64
22.66
22.68
22.70
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_20130830225l
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
22.9
23.0
23.1
23.2
23.3
23.4
time [decimal UTC]