
SEAC4RS-RSP-ICECLD_ER2_201309041334
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
13.59
13.60
13.61
13.62
13.63
13.64
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041341
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
13.70
13.75
13.80
13.85
13.90
13.95
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041409
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
14.20
14.25
14.30
14.35
14.40
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041429
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
14.50
14.55
14.60
14.65
14.70
14.75
14.80
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041456
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
14.95
15.00
15.05
15.10
15.15
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041519
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
15.35
15.40
15.45
15.50
15.55
15.60
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041545
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041614
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.25
16.30
16.35
16.40
16.45
16.50
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041639
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.66
16.68
16.70
16.72
16.74
16.76
16.78
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041653
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.90
16.95
17.00
17.05
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041709
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.16
17.18
17.20
17.22
17.24
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041723
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.39
17.40
17.41
17.42
17.43
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041732
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.55
17.60
17.65
17.70
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041812
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.205
18.210
18.215
18.220
18.225
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041817
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.290
18.295
18.300
18.305
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041858
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.00
19.05
19.10
19.15
19.20
19.25
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041927
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.46
19.48
19.50
19.52
19.54
19.56
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309041944
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.8
19.9
20.0
20.1
20.2
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_20130904 2016
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]