
SEAC4RS-RSP-ICECLD_ER2_201309131613
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.4
16.6
16.8
17.0
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131718
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.35
17.40
17.45
17.50
17.55
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131737
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.64
17.66
17.68
17.70
17.72
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131748
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.82
17.84
17.86
17.88
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131759
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.99
18.00
18.01
18.02
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131815
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.30
18.35
18.40
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131832
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.55
18.60
18.65
18.70
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131848
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.85
18.90
18.95
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131905
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.10
19.15
19.20
19.25
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131921
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.40
19.45
19.50
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131937
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.65
19.70
19.75
19.80
19.85
19.90
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309131959
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.00
20.02
20.04
20.06
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132006
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.12
20.13
20.14
20.15
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132014
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132022
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132029
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.50
20.51
20.52
20.53
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132037
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.63
20.64
20.65
20.66
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132051
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
20.90
20.95
21.00
21.05
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132111
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.19
21.20
21.21
21.22
21.23
21.24
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132120
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.35
21.36
21.37
21.38
21.39
21.40
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132130
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.52
21.53
21.54
21.55
21.56
21.57
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132140
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.68
21.69
21.70
21.71
21.72
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132149
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.83
21.84
21.85
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132155
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
21.93
21.94
21.95
21.96
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309132202
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
time [decimal UTC]