
SEAC4RS-RSP-ICECLD_ER2_201309221245
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
12.765
12.770
12.775
12.780
12.785
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221256
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
12.94
12.95
12.96
12.97
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221305
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
13.095
13.100
13.105
13.110
13.115
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_20130922131 1
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
13.20
13.25
13.30
13.35
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221327
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
13.50
13.55
13.60
13.65
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221347
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
13.80
13.85
13.90
13.95
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221404
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
14.10
14.15
14.20
14.25
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221424
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
14.45
14.50
14.55
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_20130922 1441
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
14.70
14.75
14.80
14.85
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221456
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
15.0
15.1
15.2
15.3
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221616
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.28
16.30
16.32
16.34
16.36
16.38
16.40
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221646
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
16.80
16.85
16.90
16.95
17.00
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221706
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.2
17.3
17.4
17.5
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221733
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.60
17.65
17.70
17.75
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221752
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
17.90
17.95
18.00
18.05
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221808
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.15
18.20
18.25
18.30
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221825
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.45
18.50
18.55
18.60
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221840
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/ Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
18.70
18.75
18.80
18.85
18.90
18.95
19.00
time [decimal UTC]


SEAC4RS-RSP-ICECLD_ER2_201309221905
Cloud-top height [km]
Rayleigh method
hyper-stereo method
Liquid/Specular index
Liquid index
Elevated liquid index
Specular index
Cloud optical Thickness
Ice
Liquid
Elevated Liquid
Unclassified
Aspect ratio
Plate-like
Column-like
Indeterminate
Distortion
Asymmetry parameter
Effective Radius [μm]
2.25 μm band
1.59 μm band
19.15
19.20
19.25
19.30
19.35
19.40
time [decimal UTC]