

File Revision Date:

June 8, 2023

NDACC Mobile Stratospheric Ozone Lidar Trailer Experiment (STROZ-LITE)

Home Location: Goddard Space Flight Center
Greenbelt, MD 20771

Principal Investigator: John T. Sullivan

Code 614
NASA GSFC
Greenbelt, MD 20771
301-614-5549 Voice
301-614-5903 FAX
John.T.sullivan@nasa.gov

Co-Investigators: Laurence W. Twigg

SSAI
301-614-5740 Voice
301-614-5903 FAX
Laurence.w.twigg@nasa.gov

Grant K. Sumnicht

SSAI
301-614-6001 Voice
301-614-5903 FAX
Grant.k.sumnicht@nasa.gov

Data Products

Ozone - vertical profile from 10 km - ~48 km

Temperature - vertical profile from ground to >70 km

Aerosol lidar ratio - vertical profile from ground to ~ 30 km

Water Vapor – vertical profile from ground to ~15 kms

Instrument Description

The Goddard Stratospheric Ozone Lidar has been a participant in NDACC since its inception. This lidar instrument was developed with funding from the NASA Upper Atmosphere Program in 1985. The instrument is housed in a 40' container allowing for transport around the world. The instrument is a combination Differential Absorption Lidar (DIAL), for the measurement of ozone; and a Raman and elastic backscatter lidar (for temperature, water vapor, and aerosol measurements).

The lidar instrument transmits two wavelengths, 308 nm from a XeCl excimer laser, and 355 nm from a YAG laser. The repetition rate for the excimer laser is 100 Hz, and 50Hz for the YAG. The lasers are triggered with a 5 msec offset so that there is no cross-talk between transmitted pulses. Backscattered radiation is collected with a 30" Dall-Kirkham telescope and a 4" "mini" telescope for near field channels. Spectral separation is accomplished using beam-splitters and interference filters. Five

return wavelengths are recorded: the two transmitted wavelengths the N₂ Raman scattered radiation from each of the transmitted beams - 332 nm and 382 nm, and the 408 nm water vapor channel. Each of the elastically scattered signals is further split to improve the dynamic range - roughly 2 - 5% is used to retrieve data in the lower stratosphere. The 11 signals are then amplified, discriminated and recorded using photon counting techniques.

The ozone measurement is a two-wavelength differential absorption measurement; 308 nm is absorbed by ozone, and 355 nm is not. The Raman scattered 332 nm radiation includes an absorption signal from ozone, while the 387 nm radiation does not. The atmospheric ozone number density can be retrieved from the difference in slope between the absorbed and not absorbed lidar returns.

Temperature is extracted from the Raman and elastic returns from the YAG laser. A relative density profile is constructed using the 355 nm returns above ~28 km, and the 387 nm return below. When the atmosphere is relatively clean - i.e., little or no volcanic aerosol present - this works well down to below 15 km. When there is a heavy loading of aerosol, however, this vibrational Raman technique breaks down and is not satisfactory for retrieving temperature at those altitudes.

Aerosol information is extracted from the ratio of the elastic return at 355 nm to the normalized Raman return at 387. This is, in essence, the lidar ratio; no assumption of the extinction to backscatter ratio is required as in single wavelength techniques.

Water vapor is retrieved from the ratio of the 387nm to 408 nm signals. Currently this data product can be retrieved from the ground to about 15 kms. However, recent new laser upgrades should extend this range to higher altitudes.

For a discussion of these techniques in more detail please see the references in the accompanying Reference - Techniques list.

Selected Measurement Campaigns

October - November, 1988	Table Mountain, CA	Informal Comp.
July - August, 1989	Table Mountain, CA	STOIC
March - May, 1990	Cannon AFB, NM	Balloon Comp.
June - July, 1991	Table Mountain, CA	Engineering
March, 1992	Table Mountain, CA	UARS Validation
July - August, 1992	OHP, France	NDSC Comp.
October - December, 1992	Lauder, NZ	UARS Validation
March, 1994 - April, 1995	Lauder, NZ	ASHOE-MAESA/NDSC
August, 1995 - February, 1996	MLO, Hawaii	NDSC/TOTE/VOTE/STRAT
February - March, 1997	Table Mountain, CA	STRAIT
June - July, 1997	OHP, France	NDSC
February - March, 1998	Ny Alesund, Svalbard	NAOMI
Aug, 2002	Mauna Loa, HI	HOTI
May, 2003	Mauna Loa, HI	SWAVE
Oct 2005	HOH, Germany	HOPE
Mar-Apr 2005	Sodankyla, Finland	SAUNA-I
Feb, 2006	Sodankyla, Finland	SAUNA-II
Jun-Jul 2011	Lauder, NZ	TOPAL-II
Apr 2012	Lauder, NZ	TWOPAL
Nov, 2012 – Jan, 2014	Mauna Loa, HI	NOJGIE

May, 2015	Maido, Reunion Island	MORGANE
Apr, 2018	OHP, France	LAVANDE
Oct. 2018	HOH, Germany	HOPS
Sep. 2019	Cabauw, Netherlands	TROLIX
Feb. 2022 - Present	Greenbelt, Maryland	TROLIX

References - Technique

"STROZ LITE: NASA Goddard Stratospheric Ozone Lidar Trailer Experiment," T. J. McGee, D. Whiteman, R. Ferrare, J. J. Butler, and J. F. Burris, *Optical Engineering*, 30, 31-39, 1991.

"Raman DIAL Measurements of Stratospheric Ozone in the Presence of Volcanic Aerosols," T. J. McGee, M. Gross, R. Ferrare, W. S. Heaps, and U. Singh, *Geophys. Res. Lett.*, 20, 955-958, 1993.

"An Improved Stratospheric Ozone Lidar", T.J. McGee, M. Gross, U.N. Singh, J. J. Butler, and P. Kimvilakani, *Opt. Engin.*, 34, 1421-1430, 1995.

"Measurements of Stratospheric Aerosols with a Combined Rayleigh/Raman Lidar", M.Gross, T. J. McGee, U. N. Singh, and P. Kimvilakani, *Appl. Opt.*, 34, 6915-6924, 1995.

"Temperature Measurements Made with a Combined Rayleigh-Mie/Raman Lidar," M. R. Gross, T. J. McGee, R. A. Ferrare, U. Singh, and P. Kimvilakani, *Applied Optics*, 24, 5987-5995, 1997.

References - Campaigns and Results

"Lidar Observations of Ozone Changes Involved by Sub-Polar Airmass Motion over Table Mountain, CA (34.4N)," T. J. McGee, P. Newman, R. Ferrare, D. Whiteman, J. Butler, J. Burris, S. Godin, and I. S. McDermid, *J. Geophys. Res.*, 95, 20, 527-20, 530, 1990.

"Measurement Intercomparison of the JPL and GSFC Stratospheric Lidar System, " I. S. McDermid, S. M. Godin, L. O. Lindquist, T. D. Walsh, J. Burris, J. Butler, R. Ferrare, D. Whiteman, and T. J. McGee, *Applied Optics*, 29, 4671-4676, 1990.

"Comparison of Ozone Profiles from Ground-based Lidar, ECC Balloon Sonde, Rocoz-A Rocket Sonde, and SAGE-II Satellite Measurements," I. S. McDermid, S. M. Godin, R. A. Barnes, C. L. Parsons, A. Torres, M. P. McCormick, W. P. Chu, P. Wang, J. Butler, J. Burris, P. Newman, R. Ferrare, D. Whiteman, and T. J. McGee, *J. Geophys. Res.*, 95, 10,037-10, 042, 1990.

"Multi-Wavelength Profiles of Aerosol Backscatter Ratios over Lauder New Zealand, 24 November 1992", R. L. McKenzie, J. W. Rosen, N. T. Kjome, T. J. McGee, M. R. Gross, U.N. Singh, P. Kimvilakani, O. Uchino, and T. Nagai, *Geophys. Res. Lett.*, 21, 789-792, 1994.

"Lidar Measurements of Stratospheric Ozone During the STOIC Campaign," T. J. McGee, R. Ferrare, D. Whiteman, J. Butler, J. Burris, *J. Geophys. Res.*, 100, 9255-9262, 1995.

"Lidar Measurements of Stratospheric Temperature During STOIC," R. A. Ferrare, T. J. McGee, D. Whiteman, J. Burris, M. Owens and J. Butler, *J. Geophys. Res.*, 100, 9303-9312, 1995.

"Correlation of Ozone Loss with the Presence of Volcanic Aerosols," Thomas J. McGee, Michael Gross, Upendra Singh, Paul Newman, Gerard Megie, Sophie Godin, and Anne-Marie Lacoste, *Geophys. Res. Lett.*, 21, 2801-2804 1994.

"Comparison of Stratospheric Temperature from Several Lidars, Using NMC and MLS Data as Transfer References", J. D. Wild, M. E. Gelman, A. J. Miller, M. L. Chanin, A. Hauchecorne, R. Farley, P. D. Dao, G. P. Gobbi, A. Adriani, F. Congeduti, I. S. McDermid, T. J. McGee, E. F. Fishbein, *J. Geophys. Res.*, 100, 11105-11111, 1995.

"Comparison of STOIC 1989 Ground-Based Lidar, Microwave Radiometer, and Dobson Spectrophotometer Umkehr Ozone Profiles with Ozone Profiles from Balloon-Borne ECC Ozonesonde", W. D. Komhyr, B. J. Connor, I. S. McDermid, T. J. McGee, A. D. Parish, and J. J. Margitan, *J. Geophys. Res.*, 100, 9273-9282, 1995.

"Stratospheric Ozone Intercomparison Campaign (STOIC) 1989: Overview", J. J. Margitan, R. A. Barnes, G. B. Brothers, J. Butler, J. Burris, B. J. Connor, R. A. Ferrare, J. B. Kerr, W. D. Komhyr, M. P. McCormick, I. S. McDermid, C. T. McElroy, T. J. McGee, A. J. Miller, M. Owens, A. D. Parrish, C. L. Parsons, A. L. Torres, J. J. Tsou, T. D. Walsh, and D. Whiteman, *J. Geophys. Res.*, 100, 9193-9208, 1995.

"HALOE Ozone Channel Validation," C. Bruhl, S. R. Drayson, J. M. Russell, P. Crutzen, J. M. McInerney, P. N. Purcell, H. Claude, N. Gernandt, T. J. McGee, and I. S. McDermid, *J. Geophys. Res.*, 101, 10217-10240, 1996.

"Validation of UARS MLS Temperature and Pressure Measurements," E. F. Fishbein, R. E. Cofield, L. Froidevaux, R. F. Jarnob, T. Lunger, W. G. Read, Z. Shippony, J. W. Waters, I. S. McDermid, T. J. McGee, U. Singh, M. Gross, A. Hauchecorne, and M. E. Gelman, *J. Geophys. Res.*, 101, 9983-10016, 1996.

"A Validation of Temperature Measurements from the Halogen Occultation Experiment," M. E. Hervig, J. M. Russell, III, L. L. Gordley, S. R. Drayson, K. Stone, R.E. Thompson, M. E. Gelman, I. S. McDermid, A. Hauchecorne, P. Keckhut, T. J. McGee, U. Singh, and M. R. Gross, *J. Geophys. Res.*, 101, 10277-10286, 1996.

"Accuracy and Precision of Cryogenic limb Array Etalon Spectrometer (CLAES) Temperature Retrievals," J. C. Gille, P. L. Bailey, S. T. Massie, L. V. Lyjak, D. P. Edwards, A. E. Roche, J. B. Kumer, J. L. Mergenthaler, A. Hauchecorne, P. Keckhut, T. J. McGee, I. S. McDermid, A. J. Miller, U. Singh, R. Swinbank, *J. Geophys. Res.*, 101, 9583-9602, 1996.

"Stratospheric Temperature Measurements by Two Collocated NDSC LIDAR During UARS Validation Campaign," U. N. Singh, P. Keckhut, T. J. McGee, M. R. Gross, A. Hauchecorne, E. Fishbein, J. W. Waters, J. C. Gille, A. E. Roche, and J. M. Russell, *J. Geophys. Res.*, 101, 10287-10298, 1996.

"Lidar Measurements of Ozone at Lauder, NZ During ASHOE/MAESA," T. J. McGee, M. Gross, U. Singh, P. Kimvilikani, A. Matthews, G. Bodeker, B. Connor, J. J. Tsou, M. Proffitt, and J. Margitan, *JGR - Atmospheres*, 102, 13,283-13289, 1997.

"Comparison of Cryogenic Limb Array Etalon Spectrometer (CLAES) Ozone Observations with Correlative Measurements," P. L. Bailey, D. P. Edwards, J. C. Gille, L. V. Lyjack, S. T. Massie, A. E. Roche, J. B. Kumer, J. L. Mergenthaler, B. J. Connor, M. R. Gunson, J. J. Margitan, I. S. McDermid, and T. J. McGee, *J. Geophys. Res.*, 101, 9737-9756, 1996.

"Correlative Stratospheric Ozone Measurements with the Airborne UV DIAL System during TOTE/VOTE", W.B. Grant, M. A. Fenn, E.V.Browell, T. J. McGee, U. N. Singh, M. R. Gross, I. S. McDermid, P.-H. Wang, L. E. Deaver, and L. Froidevaux, *Geophys. Res. Lett.*, 25, 623- 626, 1998

"Lidar Temperature Measurements during the TOTE/VOTE Mission", J. Burris, Wm. Heaps, B. Gary, W. Hoegy, L. Lait, T. McGee, M. Gross, and U. Singh, *J. Geophys. Res.*, 103,3505-3510, 1998.

OPAL: Network for the Detection of Stratospheric Change Ozone Profiler Assessment at Lauder, New Zealand. I. Blind Intercomparison, I. S. McDermid, J. B. Bergwerff, G. Bodeker, I. S. Boyd, E. J. Brinksma, B. J. Connor, R. Farmer, M. R. Gross, P. Kimvilakani, W. A. Matthews, T. J. McGee, F. T. Ormel, A. Parrish, U. Singh, D.P. J. Swart, J. J. Tsou, P. H. Wang, and J. Zawodney, *J. Geophys. Res.*, 103, 28,683-28692, 1998.

OPAL: Network for the Detection of Stratospheric Change Ozone Profiler Assessment at Lauder, New Zealand. II. Intercomparison of Revised Results, I. S. McDermid, J. B. Bergwerff, G. Bodeker, I. S. Boyd, E. J. Brinksma, B. J. Connor, R. Farmer, M. R. Gross, P. Kimvilakani, W. A. Matthews, T. J. McGee, F. T. Ormel, A. Parrish, U. Singh, D.P. J. Swart, and J. J. Tsou, *J. Geophys. Res.*, 103, 28,693-28,699, 1998.

STRAIT '97: An aerosol lidar and backscatter sonde intercomparison campaign at Table Mountain Observatory during February-March 1997, G. Beyerle, M. R. Gross, D. A. Haner, N. T. Kjöme, I. S. McDermid, T. J. McGee, J. M. Rosen, H.-J. Schaefer, and O. Schrems, Submitted to *J. Geophys. Res.*, July, 1998

DIAL Ozone Algorithm Intercomparison, S. Godin, A. Carswell, D. Donovan, H. Claude, W. Steinbrecht, S. McDermid, T. McGee, H. Nakane, D. Swaart, E. Brinksma, O. Uchino, P. Von der Gathen, and R. Neuber, In Press, *Applied Optics*, August, 1999.

NDSC Ozone Validation Campaign at OHP, France, G. Braathan, S. Godin, T. McGee, M. Gross, In Press, *JGR*, September, 1999.

Results of the 1998 Ny lesund Ozone Monitoring Comparison , W. Steinbrecht, R. Neuber, P. von der Gathen, P. Wahl, T. McGee, M. Gross, U. Klein, and J. Langer, *J. Geophys. Res.*, 104, 30,515 - 30,523, 1999.

Results from the 1995 Stratospheric Ozone Profile Intercomparison at Mauna Loa, R. D. McPeters, D. J. Hofmann, M. Clark, L. Flynn, L. Froidevaux, M. Gross, B. Johnson, G. Koenig, X. Liu, S. McDermid, T. McGee, F. Murcray, M. J. Newchurch, S. Oltmans, A. Parrish, R. Schnell, U. Singh, J. J. Tsou, T. Walsh and J. M. Zawodny, *J. Geophys. Res.*, 104, 30,505 - 30,514, 1999.